

Adelaide

Merchandising

AdSHOP

WIRE SHELVING SYSTEM

INTRODUCTION

We deliver an easy and economical way to solve a variety of storage, supply management and inventory control issues with Static and Mobile Wire Shelving Systems.

Available in shelving, carts or high density in-line systems the range will maximise your floor space usage and improve your inventory supply flow.

SHELVING OPTIONS

NC



NICKEL CHROME WIRE SHELVING

Nickel chrome wire shelving is best suited to dry areas, and in particular for sterile hospital environments, where cleanliness and freedom from dust gathering is critical. Nickel chrome wire shelves comply with hospital infection control guidelines - as per AS 4187

SS



STAINLESS STEEL WIRE SHELVING

Stainless steel wire shelving is suitable for wet storage and high contamination areas, such as clean rooms and sterile hospital environments where cleanliness and freedom from dust gathering is critical.

SD



STAINLESS STEEL SOLID SHELVING

Stainless steel solid shelving has unlimited applications. Stainless steel sheet construction, makes it very serviceable in all conditions.

ZP



COOL SEAL WIRE SHELVING

Zinc plated, epoxy coated wire shelving is specially designed for both wet and dry storage areas. Particular application is cool rooms, freezers, hotels, restaurants and hospital kitchens. 10 year warranty against rust.

CONFIGURATION OPTIONS

Our shelving, provides complete flexibility, so that our customers can achieve the most efficient storage solutions possible. We offer a no obligation, professional planning consultancy, to assist in optimizing storage efficiencies.

We can offer an assembly and installation service if requested.

Shelf sizes – an expansive range of shelf sizes.
(refer table – over)

Adjustability Shelves are adjustable and can be easily re-positioned with the use of the two piece sleeve which is set at 25mm increments.

Different heights Six standard Post heights enables it to adapt to most requirements

Accessories A large range of accessories is available to compliment all shelving layouts (refer accessories – over)

Mobile or static With or without wheels...

- Mobile shelving units are supplied with 125mm Castors, 2 of which come with Brakes
- Static shelving units are supplied with adjustable feet to accommodate uneven floors

STATIC 5 SHELF



R1101 Shelf Unit
Nickel Chrome
Five Shelf /Static
Size: 460 x 1525 x 1600mm
(depth x width x height)



STATIC 4 SHELF



R1001 Shelf Unit
Nickel Chrome
Four Shelf / Static
Size: 460 x 1525 x 1600mm
(depth x width x height)



MOBILE 4 SHELF



R1201 Shelf Unit
Nickel Chrome
Four Shelf / Mobile
Size: 460 x 1525 x 1760mm
(depth x width x height)



MOBILE 5 SHELF



R1301 Shelf Unit
Nickel Chrome
Five Shelf / Mobile
Size: 460 x 1525 x 1760mm
(depth x width x height)



CONFIGURATION OPTIONS



NC

MODEL R2102 SUTURE TROLLEY

Size illustrated 460 x 1220 x 1760mm high
Suture Trolley features the unique slanted display shelves ideal for dispensing and storing of Sutures or other boxed items. Can be configured with slanted or flat shelves.

Three shelf sizes available.

Available in Nickel Chrome only

R2101	460 x 910mm
R2102	460 x 1220mm
R2103	460 x 1525mm



NC

MODEL R2001 COMBINATION TROLLEY

Size illustrated 1220 x 610 x 1760mm high

Trolley combines the options of fixed shelves and sliding baskets.

Can be configured with a variety of baskets to both sides, or the basket / shelf combination.

Available in Nickel Chrome only




NC SS SD ZP

MODULAR SHELVING SYSTEM

Static units can be configured in multiple variations using S Hooks. Starting with a base unit, extra units can be added side to side or back to back.

Please contact our sales department to assist you with your requirements



Single row in-line units




Double row in-line units

NC SS ZP

IN-LINE COMPACT STORAGE SYSTEM

The principle of in-line storage systems is to have a number of mobile bays, running between two static end bays.

Allowance must be made for a minimum of 800mm aisle spaces. Our normal range of shelf sizes gives the opportunity to erect the most efficient storage system to suit all applications. Please contact our sales department to assist you with your requirements



SIZE OPTIONS

NC			CHROME		SS		STAINLESS STEEL WIRE		SD		STAINLESS STEEL SOLID		ZP		COOL SEAL	
WIRE SHELF SIZES																
size (mm)	size	code		size	code			size	code			size	code			
355 width																
	355 x 760	S1430NC										355 x 610	ZP1424			
	355 x 910	S1436NC										355 x 760	ZP1430			
	355 x 1070	S1442NC										355 x 910	ZP1436			
	355 x 1220	S1448NC										355 x 1070	ZP1442			
	355 x 1372	S1454NC										355 x 1220	ZP1448			
	355 x 1525	S1460NC										355 x 1372	ZP1454			
	355 x 1828	S1472NC										355 x 1525	ZP1460			
												355 x 1828	ZP1472			
460 width																
	460 x 460	S1818NC														
	460 x 610	S1824NC		460 x 610	S1824SS			460 x 610	S1824SD			460 x 610	ZP1824			
	460 x 760	S1830NC		460 x 760	S1830SS			460 x 760	S1830SD			460 x 760	ZP1830			
	460 x 910	S1836NC		460 x 910	S1836SS			460 x 910	S1836SD			460 x 910	ZP1836			
	460 x 1070	S1842NC		460 x 1070	S1842SS			460 x 1070	S1842SD			460 x 1070	ZP1842			
	460 x 1220	S1848NC		460 x 1220	S1848SS			460 x 1220	S1848SD			460 x 1220	ZP1848			
	460 x 1372	S1854NC		460 x 1372	S1854SS							460 x 1372	ZP1854			
	460 x 1525	S1860NC		460 x 1525	S1860SS			460 x 1372	S1860SD			460 x 1372	ZP1860			
	460 x 1828	S1872NC										460 x 1828	ZP1872			
533 width																
	533 x 610	S2124NC										533 x 610	ZP2124			
	533 x 760	S2130NC										533 x 760	ZP2130			
	533 x 910	S2136NC		533 x 910	S2136SS							533 x 910	ZP2136			
	533 x 1070	S2142NC		533 x 1070	S2142SS							533 x 1070	ZP2142			
	533 x 1220	S2148NC		533 x 1220	S2148SS							533 x 1220	ZP2148			
	533 x 1372	S2154NC		533 x 1372	S2154SS							533 x 1372	ZP2154			
	533 x 1525	S2160NC		533 x 1525	S2160SS							533 x 1525	ZP2160			
	533 x 1828	S2172NC		533 x 1828	S2172SS							533 x 1828	ZP2172			
610 width																
	610 x 610	S2424NC		610 x 610	S2424SS							610 x 610	ZP2424			
	610 x 760	S2430NC		610 x 760	S2430SS			610 x 760	S2430SD			610 x 760	ZP2430			
	610 x 910	S2436NC		610 x 910	S2436SS			610 x 910	S2436SD			610 x 910	ZP2436			
	610 x 1070	S2442NC		610 x 1070	S2442SS			610 x 1070	S2442SD			610 x 1070	ZP2442			
	610 x 1220	S2448NC		610 x 1220	S2448SS			610 x 1220	S2448SD			610 x 1220	ZP2448			
	610 x 1372	S2454NC		610 x 1372	S2454SS							610 x 1372	ZP2454			
	610 x 1525	S2460NC		610 x 1525	S2460SS			610 x 1525	S2460SD			610 x 1525	ZP2460			
	610 x 1828	S2472NC										610 x 1828	ZP2472			
760 width																
	760 x 910	S3036NC										760 x 910	ZP3036			
	760 x 1070	S3042NC														
	760 x 1220	S3048NC														
	760 x 1372															
	760 x 1525	S3060NC														
POSTS																
860	860	P34C		860	P34SS			860	P34SS							
1370	1370	P54C		1370	P54SS			1370	P54SS			1370	ZP54			
1600	1600	P63C		1600	P63SS			1600	P63SS			1600	ZP63			
1800	1800	P70C														
1895	1895	P74C		1895	P74SS			1895	P74SS			1895	ZP74			
2200	2200	P86C		2200	P86SS			2200	P86SS			2200	ZP86			
WIRE LEDGE SIZES																
100mm high																
355mm L	355	AL14C														
460	460	AL18C		AL18SS											ZP18L	
533	533	AL21C													ZP21L	
610	610	AL24C		AL24SS											ZP24L	
760	760	AL30C		AL30SS											ZP30L	
910	910	AL36C		AL36SS											ZP36L	
1070	1070	AL42C		AL42SS											ZP42L	
1220	1220	AL48C		AL48SS											ZP48L	
1372	1372	AL54C		AL54SS											ZP54L	
1525	1525	AL60C		AL60SS											ZP60L	
1828	1828	AL72C													ZP72L	
280mm high																
355mm L	355	AL14-280C														
460	460	AL18-280C														
533	533	AL21-280C														
610	610	AL24-280C														
760	760	AL30-280C														
910	910	AL36-280C														
1070	1070	AL42-280C														
1220	1220	AL48-280C														
1372	1372	AL54-280C														
1525	1525	AL60-280C														
1828	1828	AL72-280C														
WIRE SELF DIVIDER SIZES 220 mm high																
355	355	D14C														
460	460	D18C		D18SS												
533	533	D21C		D21SS												
610	610	D24C		D24SS												
760	760	D30C														

ACCESSORIES

LEDGES NC SS ZP

Wire Shelf ledges are available to suit all shelf sizes.

Ledges are designed to easily clamp on to shelf frames.

Two sizes:
100mm high
280mm high

Available in various sizes to suit different shelf widths.

See chart page 4.




SHELF DIVIDERS NC

To assist in organized shelf maintenance, Shelf Dividers provide a simple solution and clip into any part of the shelf.

Available in various sizes to suit different shelf widths.

See chart page 4.



VERTICAL RODS NC

An alternative to Ledges, the 6mm vertical rods can be used to retain larger items.

Available in five lengths, simply clip onto the shelf frame.

There are 5 different lengths

AR1150 1150mm

AR1320 1320mm

AR1380 380mm

AR1530 1530mm

AR1830 1830mm



GUARD RAILS NC

A small version of the shelf ledge. Offers two types: Straight one side or three sided.

Sizes to suit shelves.

Straight 1 side

R18C 460mm

R21C 533mm

R24C 610mm

R30C 760mm

R36C 910mm

R42C 1070mm

R48C 1220mm

R54C 1372mm

R60C 1525mm

R72C 1828mm

Guard Rail 3 Sides

F1836C 460 x 910mm

F1848C 460 x 1220mm

F2424C 610 x 610mm

F2436C 610 x 910mm

F2448C 610 x 1220mm



CANTILEVER SHELF NC

Designed to be an additional over shelf without the obstruction of upright posts. 300mm wide only.

Sized to suit shelves

HS1242C 300 x 1070mm

HS1248C 300 x 1220mm

HS1260C 300 x 1525mm

HS1272C 300 x 1828mm



WALL MOUNT COLLAR SS

Affixes to wall to accommodate posts and spaced to suit shelves.

Posts can be cut to suit any application.

WTIA - Wall Mount Collar



WALL BRACKETS NC

To be fixed to walls and spaced to accommodate all shelves. Fits all 355mm and 460mm wide shelves.

Two sizes

WSWB14C 355mm wide

WSWB18C 460mm wide



S HOOK CONNECTOR SS

S Hooks are used to link one shelving unit to another and are particularly useful in a corner situation to replace posts to enable free access into the corner.

AS 01



LABEL HOLDERS

Two variations are available

Blue Type Clips securely to top and bottom of shelf. Available in full lengths to suit shelves.

ALH800

ALH1400

ALH1100

ALH1700



Clear Type Clips securely to top of shelf. Available in full lengths to suit shelves. May be easily cut to lengths of choice.

DUS26CL75

DUS26CL1220

DUS26CL700

DUS26CL1280

DUS26CL850

DUS26CL1400

DUS26CL980

DUS26CL1700



POST CLAMPS NC

Post Clamps can be used to join and secure Static Shelving Units.

APC04 - Post Clamp

